RESTRICTED

The information given in this document is not to be communicated, either directly or indirectly, to the press or to any person not authorized to receive it.

SCALE OF STORES FOR WIRELESS STATIONS, No. 22, TRUCK, 15-CWT/GROUND

- (i) This card contains a list of stores, tools and replacement spare parts provided with this Equipment. This list should always agree with A.F. G1098 Schedules Nos. 682, 708, 701, 701, 680 and 696.
- (ii) Items shown in the "x" column are essential and will always be issued to you with the equipment. Items shown in the "y" column are either not essential for immediate operations or may be improvised, and they may, therefore, sometimes not be issued with the equipment but sent " to follow " it.
- (iii) Amendments to this card will not be issued, but the items should be checked with the up-to-date and amended A.F. G1098 Schedules Nos. 682, 708, 701, 700, 680 and 696, held at the unit or sub-unit headquarters. Any alterations made to A.F. G1098 Schedules Nos. 682, 708, 701, 700, 680 and 696, should be copied on this card, which is not an authority for demanding. Demands will be made on the A.F. G1098 Schedules only.

		Quantity Items "x"" Y"	
Cat. or Part No.	DESIGNATION		
1	2	3	4
	Signal Equipment Card No. 682 (This card will be amended in accordance with Schedules and amendments held by Unit or sub-unit H.Q.)		1
HF 5721	SECTION H6 Hydrometers, secy., cell, port., ball-type		1
WB 0027	SECTION W2 Batteries, dry, refill, 8-cell, No. 1, Mk. I (For use in Wireless Remote control unit, F, No. 2. Two are essential spares normally		4
0104	carried in unit transport) Cable, electric, D3, Mk. 6, twisted miles (Remote control line; normally carried wound on Drums, cable, No. 5)	B.	1 2
02 00	Cells, dry, X, Mk. 2		

1	. 2	3	4
WB 0282	SECTION W2—contd. Drums, cable, No. 5, Mk. 1 (Normally carried in unit transport)		1
ZA	SECTION Z1 Aerial Coupling Equipment, J—(a) Kits—		
12641/1	No. 1)		1
12641/2 11519	No. 2 \Rightarrow (See Appendix B) (b)		1
11019	Aerials, vertical, 34-ft. steel (a) (c) (See Appendix C)	1	1
27220	Adaptors, aerial base, No. 1 (Provides an adaptor for use with the Aerial Base, No. 10, Mk. 2 to enable the Antennae rod, F, to be tilted and secured in any position		1
0252	from the horizontal to the vertical) Ammeters, H.F., 1-amp, No. 3 (a)	İ	1
11461	(See Appendix B) Antennae Rod, F, 16-ft., No. 1 (See Appendix D)	1	
11012	Connectors, twin— No. 90 (Charging lead; connects Charging sets, 300- watt Mk. 1 to Batteries, secy., port., 12-volt,		1
25333	75-Ah) No. 156A (L.T. supply lead; connects Switch-boards charging No. 5 or Battens, terminal, 4-point, No. 1 to Power supply units No. 4)		1
10594	Jumper Leads, No. 1B (For extending the leads to Microphone and Receivers, headgear, assemblies as required)		1
13859	Microphone, hand, No. 8 (For use with Wireless Remote control units, F, one per unit) Receivers, headgear— D, L.R. double—		2
15037	No. 5		
OR 17674	OR No. 1, Mk. 2		2
18206	C, L.R. double, No. 3		
6292	Satchels, signals, No. 1		2
	(Two of these become "X" items only when it is required to convert these Stations into Manpack, handcart and/or animal-pack stations)		

Page 3

ZA 11321 11378 12642 12643 22000/1 OR 22000/1A 22000/3 ZB 0220 10208	SECTION Z1—contd. Wavemeter, Class D, No. 1— Mk. 1	1 1	*1			
ZB/US	wheeled, Wireless)					
0001 ZB	Charging Sets, 300-watt, Mk. 1		1			
0183/1	Switchboards Charging, No. 5, Kits, No. 1 (See Appendix A)		1			
	vertical, 34-ft., steel (See note (c) below.					
	APPENDIX A SWITCHBOARDS CHARGING, No. 5, KITS, No (ZB 0183/1) (THIS KIT IS A "Y" ITEM)	. 1				
1	2	3	4			
ZA 10712	SECTION Z1 Connectors— Single, No. 26A (Connects Switchboards, charging, No. 5 to vehicle dynamo voltage control		1			
10740	regulator) Twin, No. 83		1			

Page 4	Appendix A—contd.		
1	2	3	4
ZB 0183	SECTIO Z2 Switchboards, charging, No. 5 (For use with vehicle power take-off in the following vehicles:—Truck, 15-cwt., 4-wheeled Wireless—Mk. 1, Mk. 2 and Mk. 3, Trucks, 15-cwt., 4-wheeled fitted for Wireless)		1
FOOTN	OTES:		·
*	Essential spare(s).		
	APPENDIX B AERIAL COUPLING EQUIPMENT, J, (a) (A.F. G1098—Schedule No. 708)		•
1	2	3	4
ZA 0252	SECTION Z1 Ammeters, H.F., 1-amp., No. 3(d) (Normally carried in Aerial coupling equipment, aerial unit, J) Aerial Coupling Equipment, J—		1
12641/1 12641/2	No. 1 No. 2	1	
	AERIAL COUPLING EQUIPMENT, J, KITS, (ZA 12641/1)	No. 1	
1	2	3	4
ZA 12641	SECTION Z1 Aerial Coupling Equipment, aerial unit, J (For use at Aerial end of feeder line)	1	
2951 10562	Covers—(b) Protecting, No. 2 Waterproof, No. 9		1 1

ī

AERIAL COUPLING EQUIPMENT, J. KITS, No. 2-contd. (ZA 12941/2)

1	2	3	4
ZA	SECTION Z1		
22594	Aerial Coupling Units, No. 4, Mk. 2 (c) (For use at Set end of feeder line)	1	
18504	Aerial Feeders, 30-ft., No. 1 (c) (For use as Feeder line)	3	
23695	Cases, carrying, 21-in. × 5½-in., No. 1		1
22080	Couplings, co-axial, No. 1 (c) (For use in connecting together Aerial feeders, 30-ft., No. 1)	2	*1

FOOTNOTES:

This equipment is normally supplied as part of unit equipment (A.F. G1098) for use with the following stations on the scale shown. Wireless stations, No. 22-

NOTE.—The above scale of issue is identical with that for Aerials, vertical, 34-ft., steel.

- For use with Aerial coupling equipment, aerial units, J. (b)
- (c) Normally carried in Cases, carrying, $21-in. \times 21-in. \times 5\frac{1}{4}-in.$ No. 1.
- (d) Only supplied when specially authorised.
- Essential Spare(s).

Ground

Light warning

APPENDIX C

AERIALS, VERTICAL, 34-ft., STEEL (ZA 11519) (A.F. G1098—Schedule No. 701)

1	2	3	4	5
1	FA 14125	SECTION F1 Hammers, engineers, ball-pane, 8-oz (Normally carried strapped to Antennae rod, F, Cases, carrying, No. 1)		1
2	YA 4080	SECTION Y1 Straps, carrying, H (For carrying Antennae rod, F, Cases, carrying, No. 1)		1
	ZA	SECTION Z1		
3	11009	Aerial Bases, No. 11 (a) (For use at base of aerial when using "F" section rod aerial)	1	
4	11010	Spikes (a) Antennae Rod— A—	1	
5 6	0374 0378	Pegs (b) Peg-bags (c)	8	*2 1
7	5341	Reamers (b)		1
8	5346	Sections, 3-ft (c)	6	*4
9	5325	Spikes (c) (For use with Insulators, W.T.,	1	
10	11536	Stayplates, No. 4, Mk. 1 (c)	1	1
11	4135	Adaptors, No. 1 (c) (Joins Antennae rod, F, sections, No. 1 OR No. 2 to Antennae rod, D, sections, 3- ft.)	1	
12	11011	Cases, carrying, No. 1 Straps, retaining—		1
13	11462	No. I (d)		2
14	12764	No. 2 (d) Sections		ī
15	0894	No. 1 (a)	2	*2
16	0895	No. 2 (a)	ĩ	*1
17	0896	No. 3 (a)	ì	*1
18	0437	Bags, aerial gear, No. 2, Mk. 2		1

Appendix C—contd.				e 7
1	2	2	4	5
19 20 21	ZA 443 •	B (c) (For use as base of aerial when using "D" section rod aerial OR 34-ft., rod aerial) Chain, small, 3-link (c) (e)	1	*4 *2
	00,	o stay agreement, small (c) (c)		
FO	OTNO	res :		
	NOT	necessarily applicable to R.A.O.C.		
		(a) Normally carried in Antennae rod, F, Cases	, Carr	ying
		No. 1. (b) Normally carried in Antennae rod, A, Peg-bag	s.	
		 (c) Normally carried in Bags, aerial gear, No. 2, M (d) For securing Hammers, engineers, ball-pane Antennae rod, F, Cases, carrying, No. 1. (e) Spares for Antennae rod, D, stayplates, No. 	, 8-oz	
		* Essential spare(s).	4, MI	A. I.
		APPENDIX D ANTENNAE RODS, F 16-ft., No. 1 A.F. G1098—Schedule No. 700)		
1		2	3	4
· F.	A	SECTION F—PART 1		
141	25	Hammers, engineers, ball-pane, handled, 8-oz.		1
Y .		SECTION Y1 Straps, carrying, H		1
\mathbf{Z}_{i}	A	SECTION Z1		
110		Aerial bases, No. 11	1	
110	10	Spikes Antennae rods, F—	1	
110	11	Cases, carrying, No. 1		1
1140	62	Straps, retaining— No. 1		2
127		No. 2		1
089	94	Sections— No. 1	2	1
000		A: V: 1		
089		No. 2	1	1 1 1

APPENDIX E WIRELESS STATIONS No. 22 ZA 22000/1A (SET KITS)

KITS, No. 1, Mk. 1-ZA 22000/1 OR KITS, No. 1A-(A.F. G1098-Schedule No. 680) 3 2 1 SECTION W2 WB(a) 1490 Bulbs, 12-volt, F (For use in Lamps, operators. No. 6A) SECTION X2 Fuse, wire, copper, No. 34, S.W.G. 2-yd., cards

xB*1 0926 (Normally carried in Satchels, signal, No. 1) SECTION Z Z/CV Valves, electronic— 1 CV. 65 65 3 CV. 1052 1052 CV. 1053 1 1053 ĺ CV. 1054 1054 2 CV. 1306 1306 5 CV, 1331 1331 SECTION Z1 ZA 1 Carriers, set, No. 10 14042 Covers---Protecting-1 (b) No. 1 2950 1 (c) 2951 No. 2 Waterproof-(b) 1 No. 14 14045 (c) 1 14046 No. 15 Power Supply Units, No. 4-Mk. 1/1 (Only supplied in Kits, No. 1) 10478 1 OR OR (Only supplied in Kits, No. 1A) 21138 1 Straps, securing, No. 10 15449 2 (d) Vibrators, No. 5 3231 1

Wireless Sets, No. 22 11694 Working instructions, Part 1 14048 FOOTNOTES:

NOT necessarily applicable to R.A.O.C.

(a)

Ī

4

3

Two are essential spares, normally carried in Unit transport. For Wireless sets, No. 22. (b) For Power supply units, No. 4. (c) One is an essential spare, normally carried in Power (d) supply units, No. 4.

APPENDIX F

WIRELESS SETS, No. 22, KITS, No. 3 CAT. NO. ZA 22000/3 (A.F. G1098—Schedule No. 696)

1	2		3	4
	SECTION W2			
$\mathbf{W}\mathbf{B}$	Wire, electric—	. 1		410
1042	P.11, Mk. 1 y	ds.		*12
1057	P.11, Mk. 1 y R.4, Mk. 1 y (For making up end-fed aerials)	ds.		123(i)
YA	SECTION Y1	1		
4413	Clips, spring, No. 1, web headbands Headbands, web—			(s)
4395	No. 2			
OR	OR }			(t)
5000	No. 3			
ZA	SECTION Z1	ŀ		
14172	Aerial bases, No. 10, Mk. 2		1	
10120	Battens, terminal, 4-point, No. 1	(j)		1
	Cases, spare valve—			
14041	No. 4C)			
OR	OR >			l
22935	No. 4G			
		1	l	

1	2	3	4
ZA 2060 10926	SECTION Z1—contd. Condensers, X.5, 5-kV., Mk. 2 Brackets, mounting Connectors—	1 1	
2261	Single— No. 10A (One connects the Aerial base, No. 10, Mk. 2, to Condensers, X. 5, 5-kV., Mk. 2. One connects the Condenser to the set. Two are for use as aerial leads on the ground being normally carried in Bags, aerial gear, No. 2, Mk. 2, when the latter is issued as part of Aerials, vertical, 34-ft., steel)	3	1
10320	No. 33 (b) (For connecting Leads, counterpoise, No. 2, Mk. 2, to the set) Twin—	1	
2416 11018	No. 28 (j) No. 78 (b) (L.T. supply lead. One for use in the vehicle and one for use on ground)	2	1
4500 4381	Key and plug assemblies— , No. 2B (c) Slides No. 1	1	1
12645 2784	Lamps, operators, No. 6A Leads, counterpoise, No. 2, Mk.2 (b) Microphone and receivers, headgear assemblies—	1	1
21514 OR 17603 OR 21230 OR	No. 10 OR No. 8 OR No. 1, Mk. 2 OR	1	1
290 4 6292	No. 1, Mk. 1 Satchels, signal, No. 1 Valves, W.T., type—		2
7022 3056 7023 3493	A.R.8 (d) A.R.D.D.5 (d) A.R.P.12 (d) A.R.P.34 (d)	*1 *1 *3 *1	
ZA/CV 65 ZA	C.V.65 (d)	*1	
11244	V.T.52 (d)	-2	

FOOTNOTES:

NOT necessarily applicable to R.A.O.C.

- (b) Normally carried in Bags, aerial gear, No. 2, Mk. 2, when this bag is issued as part of Aerials, vertical, 34-ft., steel.
- (c) Normally carried in Satchels, signals, No. 1.
- (d) Normally carried in Cases, spare valves, No. 4C or No. 4G.
- (i) Forty-one yards are essential spares.
- * Essential spare(s).

General.

- (j) These items are redundant for this installation.
- (s) Required on a scale of two per headband only when Headbands, web, No. 3, are issued.
- (t) Required on a scale of one per assembly only when Microphone and receivers, headgear assemblies, No. 1, Mk. 1, are issued.